shear baler

idromec

T600SLK

semimobile

www.idromecspa.com

SEMIMOBILE

NO NEED FOR FOUNDATIONS

WORKING ON OWN HYDRAULIC LIFTING LEGS

BLADE CLEARANCE ADJUSTMENT



Quality components

- Rexroth - Parker
- Siemens
- Hardox
- Cummins

FOR EVER LASTING HINGES

SPECIAL BOX DESIGN

SHEAR FORCE

550mt

SHEAR THROAT

800 X 650

POWER

230hp

ALTERNATIVELY

1 X 90 Kw electric

BOX

6MT

WIDTH: 2250 MM

HEIGHT: 1600 MM

HARDOX

WEIGHT

56mt

SEMIMOBILE

WORKING LAYOUT



TRANSPORT LAYOUT



OVERALL LENGHT:	MM	15450 (WORK)	13800 (TRANSP.)
OVERALL WIDTH:	MM	3800 (WORK)	2500 (TRANSP.)
OVERALL HEIGHT:	MM	3675 (WORK)	3300 (TRANSP.)

MODEM

remote diagnostics

HYDRAULIC CLAMPS

for a quick release of the bottom blade

AUTOLUBE

of the shear and (optionally) the box

FURTHER CUSTOMIZATION

Idromec's know-how and experience at customer's service



idromec

600 to 1600 lids and side squeeze shears - 3 ram balers - waste balers - heavy duty car balers