




shear baler

idromec

T900CD

static




ON DEMAND

**MODEM FOR REMOTE
DIAGNOSTICS**

**SPECIAL PRELOAD
HOPPER WITH
WEIGHING
SYSTEM**



**BLADE
CLEARANCE
ADJUSTMENT**



Quality components

Rexroth - Parker

Siemens

Hardox

Cummins

**FOR EVER LASTING HINGES
SPECIAL BOX DESIGN**





**SHEAR
FORCE**

800mt

SHEAR THROAT
900 X 700



POWER

2x90kW

ALTERNATIVELY
3 X 90 Kw



BOX

7MT


ALTERNATIVELY
8 METERS



WEIGHT

105mt


WORKING LAYOUT



OVERALL LENGTH: 18050 MM

OVERALL WIDTH: 8300 MM

OVERALL HEIGHT: 6400 MM



MODEM

remote
diagnostics



BLADE SEAT

threaded and
replaceable
in TODLOX



AUTOLUBE

of the shear
and (optionally)
the box



**FURTHER
CUSTOMIZATION**

Idromec's know-
how and
experience at
customer's service



+39 045 7930179



info@idromecspa.com



via Roma 23
37060 Mozzecane
Italy

55

years of activity

over
3000

shears and balers ever
delivered all over the world



idromec

SHEAR - BALERS
from 500 to 1500t

CAR BALERS

3-RAM BALERS

WASTE BALERS

About IDROMECS.P.A.

Idromec S.p.A. was founded in 1969 by Luigi and Olivo Tabarelli. In July 75 the first shaped box baler (curved/flat lids) was built and then patented.

This innovative system of scrap compacting combines a large volume of loaded material with a simple and effective compression with only two movements.

Now a large range of up-to-date shear-balers and balers makes Idromec one of the major players on the market.



www.idromecspa.com

